

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S158	4053	allocat\$3 with resource\$1 and register\$3 with (user\$1 or consumer or client\$1 or computer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:12
S159	173	allocat\$3 with resource\$1 and register\$3 with (user\$1 or consumer or client\$1 or computer\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:13
S160	120	allocat\$3 with resource\$1 and register\$3 with (user\$1 or consumer or client\$1 or computer\$1).ab. and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:15
S161	24	allocat\$3 with resource\$1 same register\$3 with (user\$1 or consumer or client\$1 or computer\$1).ab. and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:23
S162	0	US20020016848	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:17
S163	2	"20020016848"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:17
S164	0	JP411143827	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:19
S165	0	"411143827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:19

S16 6	176	allocat\$3 with resource\$1 same register\$3 with (user\$1 or consumer or client\$1 or computer\$1) and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:23
S16 7	152	allocat\$3 with resource\$1 same register\$3 with (user\$1 or consumer or client\$1 or computer\$1) and (@ad<"20010125" or @rlad<"20010125")not S161	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:39
S16 8	5	(user\$1 or consumer or client\$1 or computer\$1) near10 registering near10 service\$1 near5 application and allocat\$3 with resource\$1 and (@ad<"20010125" or @rlad<"20010125")not S161	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:41
S16 9	21	(user\$1 or consumer or client\$1 or computer\$1) near10 register\$3 near10 service\$1 near5 application and allocat\$3 with resource\$1 and (@ad<"20010125" or @rlad<"20010125")not S161	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:45
S17 0	459	(user\$1 or consumer or client\$1 or computer\$1) near10 register\$3 near10 (service\$1 or application) and allocat\$3 with resource\$1 and (@ad<"20010125" or @rlad<"20010125")not S161	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:45
S17 1	22	(user\$1 or consumer or client\$1 or computer\$1) near10 register\$3 near10 (service\$1 or application) same allocat\$3 with resource\$1 and (@ad<"20010125" or @rlad<"20010125")not S161	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:07
S17 2	22	(user\$1 or consumer or client\$1 or computer\$1) near10 register\$3 near10 (service\$1 or application) same allocat\$3 near10 resource\$1 and (@ad<"20010125" or @rlad<"20010125")not S161	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:08
S17 3	6	(user\$1 or consumer or client\$1 or computer\$1) near10 register\$3 near10 (service\$1 or application) same allocat\$3 near10 resource\$1 and (@ad<"20010125" or @rlad<"20010125")not S171	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:09

S17 4	13	(user\$1 or consumer or client\$1 or computer\$1) near10 register\$3 near10 (service\$1 or application) same allocat\$3 near10 memory and (@ad<"20010125" or @rlad<"20010125")not S171	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:10
S17 5	15	(user\$1 or consumer or client\$1 or computer\$1) near10 register\$3 near10 (service\$1 or application) same allocat\$3 near10 (memory or space) and (@ad<"20010125" or @rlad<"20010125")not S171	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 12:14
S17 6	69	(user\$1 or consumer or client\$1 or computer\$1) near10 register\$3 near10 (service\$1 or application) same allocat\$3 and (@ad<"20010125" or @rlad<"20010125")not S171	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 13:02
S17 7	447	allocator near15 allocat\$3 near15 resource\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 13:03
S17 8	90	allocator near15 allocat\$3 near15 resource\$1 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 13:03
S17 9	55	allocator near15 allocat\$3 near15 resource\$1 same memory and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 13:03